



NON-STICK **red**

The new bipolar forceps from KLS Martin – with NON-STICK effect and a revolutionary ergonomic design

revolutionary
ergonomic
design





NON-STICK **red**

The new bipolar forceps

from KLS Martin – with NON-STICK effect
and a revolutionary ergonomic design



“With the new KLS Martin bipolar NON-STICK **red** forceps, tissue sticking to the tips of the instrument is definitely a problem of the past.

Especially for operations involving extremely fine dissection (such as parotid and thyroid interventions or microvascular tissue transfer), the use of this new generation of bipolar forceps provides significant advantages due to their exceptional haptic quality: minimized risk of procedures, gentler operating technique and shorter operating times. The tips of the instrument need to be cleaned considerably less often during interventions and the cleaning process itself is much faster as well.

We simply wouldn't like to do without these forceps.”

Dr. Paul-Stefan Mauz (M.D.)
Senior Consultant
Tübingen University Hospital
Department of Otorhinolaryngology

revolutionary
ergonomic
design

NON-STICK **red**


The new generation of bipolar forceps
with NON-STICK effect
and a revolutionary ergonomic design

The new generation of bipolar forceps

Who hasn't encountered this everyday operating situation when working with conventional bipolar forceps? The tissue tends to stick to the tips of the instrument during coagulation and when withdrawing the instrument, the coagulated tissue is torn open again.


The result is renewed bleeding. Now, this unwelcome effect can be prevented by using KLS Martin NON-STICK **red**, the new and innovative generation of bipolar forceps – the coagulated tissue is no longer disrupted when opening the instrument.

What's more, the cumbersome and time-consuming process of cleaning the tips of the forceps during operations is largely eliminated at the same time. This means fewer interruptions of the surgical procedure and corresponding time savings.



NON-STICK **red**

Standard forceps




Coagulating produces so-called "hot spots".




Thanks to the special alloy used for the tips of the forceps, the heat can be discharged quickly and effectively.



This prevents the tissue from sticking to the tips of the forceps.



Coagulating produces so-called "hot spots".



As the heat cannot be discharged, overheating is the inevitable result.



Tissue tends to stick to the tips of the forceps. When opening the instrument, charred tissue is torn off in the process.

Improved heat conductivity




A special feature does the trick – polished noble-metal tips offering excellent heat conductivity. Thanks to this property, the tissue cannot adhere to the tips of the forceps.

The heat is discharged from the tips quickly and effectively. And what's more, the NON-STICK effect will last because the tips are not merely coated, but made of solid noble metal.

NON-STICK **red**

Variety of models

The new bipolar NON-STICK **red** forceps from KLS Martin are available in all usual sizes for the most diverse fields of use.



The tips of the forceps

The tips are precision-made and available in different sizes for extremely accurate surgical use. By adjusting the pressure applied, the user can coagulate merely with the tips or by using the full surfaces.

The polished noble-metal tips are excellent heat conductors preventing tissue adhesion.




marSIGHT

The special geometry of the forceps tips gives the surgeon an unobstructed view of the surgical site and the tissue to be coagulated. Moreover, the tips enable you to grasp tissue with utmost precision. Don't miss out on the experience!

The models featuring tips with marSIGHT geometry are clearly marked in this brochure.



revolutionary ergonomic design



Guiding mechanism

The guiding mechanism ensures the accurate, highly parallel closure of the pre-tensioned forceps and prevents “tip spread” as well. This, in turn, prevents fatigue in the user’s hand and facilitates the dissecting process.




Connection

The bipolar NON-STICK **red** forceps can be used with any commonly available HF generator. Special connecting cables are available for this purpose.



marGRiP

The ergonomic handle surface provides for secure handling and prevents fatigue in the user’s hand.



Shank geometry

Thanks to the view-optimized geometry of the shanks of the forceps, the surgeon’s hand and the cable connector are kept out of the surgical field. This is particularly advantageous when working under the operating microscope.

revolutionary
ergonomic
design

Bipolar forceps, KLS Martin NON-STICK red, straight



	Tip width	Length	Item No.
pointed			
	0.3 mm	12 cm/4 3/4"	80-982-12-04
	0.3 mm	17 cm/6 1/4"	80-982-17-04
	0.3 mm	20 cm/8"	80-982-20-04
	0.3 mm	23 cm/9"	80-982-23-04
blunt			
	0.6 mm	12 cm/4 3/4"	80-984-12-04
	0.6 mm	17 cm/6 1/4"	80-984-17-04
	0.6 mm	20 cm/8"	80-984-20-04
blunt			
	1.0 mm	12 cm/4 3/4"	80-986-12-04
	1.0 mm	17 cm/6 1/4"	80-986-17-04
	1.0 mm	20 cm/8"	80-986-20-04
	1.0 mm	23 cm/9"	80-986-23-04
blunt			
	2.0 mm	17 cm/6 1/4"	80-988-17-04
	2.0 mm	20 cm/8"	80-988-20-04
	2.0 mm	23 cm/9"	80-988-23-04

1/1
80-982-12-04
12 cm/4 3/4"
pointed, 0.3 mm

Example illustration

revolutionary ergonomic design

Bipolar forceps, KLS Martin NON-STICK *red*,
angled



80-983-12-04
12 cm/4 3/4"
pointed, 0.3 mm

Example illustration

	Tip width	Length	Item No.
pointed			
	0.3 mm	12 cm/4 3/4"	80-983-12-04
	0.3 mm	17 cm/6 1/4"	80-983-17-04
blunt			
	0.6 mm	12 cm/4 3/4"	80-985-12-04
	0.6 mm	17 cm/6 1/4"	80-985-17-04
	0.6 mm	20 cm/8"	80-985-20-04
blunt			
	1.0 mm	12 cm/4 3/4"	80-987-12-04
	1.0 mm	17 cm/6 1/4"	80-987-17-04
	1.0 mm	20 cm/8"	80-987-20-04
	1.0 mm	23 cm/9"	80-987-23-04
blunt			
	2.0 mm	17 cm/6 1/4"	80-989-17-04
	2.0 mm	20 cm/8"	80-989-20-04
	2.0 mm	23 cm/9"	80-989-23-04
	2.0 mm	25 cm/9 3/4"	80-989-25-04
	2.0 mm	28 cm/11"	80-989-28-04



Example illustration


revolutionary
ergonomic
design

Bipolar forceps, KLS Martin NON-STICK red, bayonet-shaped

	Tip width	Length	Item No.
marSIGHT tip			
0.3 mm			
		17 cm/6 1/4"	80-990-17-04
		20 cm/8"	80-990-20-04
		23 cm/9"	80-990-23-04
		25 cm/9 3/4"	80-990-25-04
pointed			
0.3 mm			
0.3 mm			
0.3 mm			
0.3 mm			
blunt			
0.6 mm			
0.6 mm			
0.6 mm			
0.6 mm			
Standard tip			
1.0 mm			
		17 cm/6 1/4"	80-992-17-04
		20 cm/8"	80-992-20-04
		23 cm/9"	80-992-23-04
		25 cm/9 3/4"	80-992-25-04
blunt			
1.0 mm			
1.0 mm			
1.0 mm			
1.0 mm			
Standard tip			
2.0 mm			
		17 cm/6 1/4"	80-993-17-04
		20 cm/8"	80-993-20-04
		23 cm/9"	80-993-23-04
		25 cm/9 3/4"	80-993-25-04
blunt			
2.0 mm			
2.0 mm			
2.0 mm			
2.0 mm			







Example illustration






revolutionary
ergonomic
design

*Bipolar forceps, KLS Martin NON-STICK **red**,
bayonet-shaped, angled*

	Tip width	Length	Item No.
Standard tip 0.3 mm 	blunt		
	0.6 mm	23 cm/9"	80-997-23-04
	0.6 mm	25 cm/9 3/4"	80-997-25-04
Standard tip 0.6 mm 	blunt		
	0.6 mm	23 cm/9"	80-996-23-04
	0.6 mm	25 cm/9 3/4"	80-996-25-04
Standard tip 1.0 mm 	blunt		
	1.0 mm	20 cm/8"	80-994-20-04
	1.0 mm	23 cm/9"	80-994-23-04
	1.0 mm	25 cm/9 3/4"	80-994-25-04
Standard tip 2.0 mm 	blunt		
	1.0 mm	20 cm/8"	80-995-20-04
	1.0 mm	23 cm/9"	80-995-23-04
	1.0 mm	25 cm/9 3/4"	80-995-25-04

Bipolar forceps,
KLS Martin NON-STICK **red**,
angled



revolutionary
ergonomic
design

1/1

80-998-23-04
23 cm/9"

1/1

80-999-23-04
23 cm/9"

1/1

80-999-24-04
23 cm/9"

*Connecting cables for bipolar forceps
with straight plug*



80-287-33-04 80-287-53-04
3 m/10 ft. 5 m/16 ft.

Connecting cable for bipolar instruments
for KLS Martin and Berchtold HF units



80-286-30-04 80-286-50-04
3 m/10 ft. 5 m/16 ft.

Connecting cable for bipolar instruments
for maxium® "e"-version / Erbe HF units ICC
and ACC/IO



80-287-89-04 80-287-90-04
3 m/10 ft. 5 m/16 ft.

Connecting cable for bipolar instruments
for maxium® "i"-version, ME MB2 "i"-version /
Valleylab HF units



80-287-70-04
5 m/16 ft.

Connecting cable for bipolar instruments
for Codman and Valleylab HF units

*Connecting cables for bipolar forceps
with angled plugs*



80-291-40-04
4 m/13 ft.
Connecting cable for bipolar instruments
for KLS Martin and Berchtold HF units



80-286-40-04
4 m/13 ft.
Connecting cable for bipolar instruments
for maxium® "e"-version / Erbe HF units ICC
and ACC/VIO



80-293-40-04
4 m/13 ft.
Connecting cable for bipolar instruments
for maxium® "i"-version, ME MB2 "i"-version /
Valleylab HF units



Should you have any questions...
... we'll be glad to answer them!

*You can reach us in person
either by e-mail or phone:
E-mail: info@klsmartin.com
Hotline: ++49 7461 706-0*



*For an overview of the whole range
of KLS Martin HF products,
please refer to our HF Accessories Catalog.*

Printed version
90-302-48-06

KLS Martin Group

Karl Leibinger GmbH & Co. KG

78570 Mühlheim · Germany
Tel. +49 7463 838-0
info@klsmartin.com

KLS Martin GmbH + Co. KG

79224 Umkirch · Germany
Tel. +49 7665 9802-0
info@klsmartin.com

Stuckenbrock Medizintechnik GmbH

78532 Tuttlingen · Germany
Tel. +49 7461 165880
verwaltung@stuckenbrock.de

Rudolf Buck GmbH

78570 Mühlheim · Germany
Tel. +49 74 63 99516-30
info@klsmartin.com

KLS Martin France SARL

68000 Colmar · France
Tel. +33 3 8921 6601
france@klsmartin.com

Martin Italia S.r.l.

20059 Vimercate (MB) · Italy
Tel. +39 039 605 6731
italia@klsmartin.com

Martin Nederland/Marned B.V.

1270 AG Huizen · The Netherlands
Tel. +31 35 5234538
nederland@klsmartin.com

Nippon Martin K.K.

Osaka 541-0046 · Japan
Tel. +81 6 62 28 9075
nippon@klsmartin.com

KLS Martin L.P.

Jacksonville, FL 32246 · USA
Tel. +1 904 641 7746
usa@klsmartin.com

Gebrüder Martin GmbH & Co. KG

Representative Office
121471 Moscow · Russia
Tel. +7 499 792-76-19
russia@klsmartin.com

Gebrüder Martin GmbH & Co. KG

Representative Office
201203 Shanghai · China
Tel. +86 21 2898 6611
china@klsmartin.com

Gebrüder Martin GmbH & Co. KG

Representative Office
Dubai · United Arab Emirates
Tel. +971 4 454 1655
middleeast@klsmartin.com

Gebrüder Martin GmbH & Co. KG

A company of the KLS Martin Group

Ludwigstaler Str. 132 · 78532 Tuttlingen · Germany
Postfach 60 · 78501 Tuttlingen · Germany
Tel. +49 7461 706-0 · Fax +49 7461 706-193
info@klsmartin.com · www.klsmartin.com

